














www.per-accurate.com  
 Skype:peraccurate  
 Tel.:+886 82217268  
 Viber or Whats App:+886 988161584  
 sales@per-accurate.com

**LED Rechargeable light**

Part no.	PHOTO	SIZE	DESCRIPTION	PACKING
PAR7025H			LED Type:Cree LED Power:25 Beam Pattern:Spot Color Temp:6000K Ope.Voltage:10~30V DC CurrentDraw:1.4A@12V,0.75A@24V Lumens:1200 lm Lens Material:PMMA Size:320*110mm	QTY : 10 pcs/ctn G.W : 1 kg/pcs G.W: 12 KG/CTN Ctn Size : 58*27*32.5 cm
PAR5018BH			LED Type:Epistar LED Power:18W Beam Pattern:Flood/Spot Color Temp:6000K Ope.Voltage:10~30V DC CurrentDraw:1.4A@12V,0.75A@24V Lumens:1200 lm Size:310*115*42mm	QTY:20PCS/CTN 1.5KG/PCS 30KG/CTN Ctn Size:69*29.5*21.5cm
PAR5027BH			LED Type:Epistar Beam Pattern:Flood/Spot Color Temp:6000K Ope.Voltage:12~48 V DC CurrentDraw:1.7A@12V,0.9A@24V Lumens:1800 lm Size:306*115*50mm	QTY:20PCS/CTN 1.5KG/PCS 30KG/CTN Ctn Size:69*29.5*21.5cm

<p>PAR6015B</p>			<p>LED Type:Epistar                  LED Power:15W                  LED Qty:5                  Beam Pattern:Flood/Spot                  Color Temp:6000K                  Ope.Voltage:10~30V DC                  CurrentDraw:1A@12V,0.5A@24V                  Lumens:1000 lm                  Size:314*90*37mm</p>	<p>QTY:20PCS/CTN                  1.5KG/PCS                  30KG/CTN                  Ctn Size:69*29.5*21.5cm</p>
<p>PAR9018</p>			<p>LED Type:CREE                  LED Power:18W                  LED Qty:6                  Beam Pattern:Flood /Spot                  Color Temp:6000K                  Ope.Voltage:10~30V DC                  CurrentDraw:1.4A@12V,0.7A@24V                  Lumens:1260lm                  Bracke Material:Diecast aluminum                  Housing Material:Aluminum                  Lens Material:PMMA                  Size:175*115*100mm</p>	<p>QTY : 10 pcs/ctn                  G.W : 1 kg/pcs                  G.W: 12 KG/CTN                  Ctn Size : 58.5*27*24 cm</p>
<p>PAR9020C</p>			<p>1 LED Power 20W                  2 Chips :2pcs*10w Cree                  3 Voltage :10-30V                  4 Lumens :1500 lm                  5 Housing :Diecast aluminum                  6 Lens :PMMA                  7 Beam :Flood /Spot                  8 Size :175*132*100mm</p>	<p>QTY : 10 pcs/ctn                  G.W : 1 kg/pcs                  G.W: 12 KG/CTN                  Ctn Size : 58.5*27*24 cm</p>
<p>PAR6015</p>			<p>LED Type:Epistar                  LED Power:15W                  LED Qty:5                  Beam Pattern:Flood/Spot                  Color Temp:6000K                  Ope.Voltage:10~30V DC                  CurrentDraw:1A@12V,0.5A@24V                  Lumens:1000 lm                  Size:Rechargeable Strong Magnetic</p>	<p>QTY : 10 pcs/ctn                  G.W : 1.2 kg/pcs                  G.W: 15 KG/CTN                  Ctn Size : 58*27*32.5 cm</p>
<p>PAR6016</p>			<p>LED Type:Epistar                  LED Power:15W                  Beam Pattern:Flood/Spot                  Color Temp:6000K                  Ope.Voltage:10~30V DC                  CurrentDraw:1A@12V,0.5A@24V                  Lumens:1000 lm                  Size:277*84*34mm</p>	<p>QTY:20PCS/CTN                  1 KG/PCS                  20KG/CTN                  Ctn Size:69*29.5*21.5cm</p>

<p>PAR5015G</p>			<p>LED Type:Epistar                  LED Power:15W                  LED Qty:5                  Beam Pattern:Flood /Spot                  Color Temp:6000K                  Ope.Voltage:10~30V DC                  Lumens:1000 lm                  Size:90*100*35mm (4 inch)</p>	<p>QTY : 6 pcs/ctn                  N.W: 1.6 kg/pcs                  G.W : 10 KG                  Ctn Size:44.5*26*40</p>
<p>PAR5918G</p>			<p>LED Type:CREE                  LED Power:18W                  LED Qty:6                  Beam Pattern:Flood /Spot                  Color Temp:6000K                  Ope.Voltage:10~30V DC                  CurrentDraw:1.4A@12V,0.7A@24V                  Lumens:1260lm                  Size:99*73*107 mm (4 Inch)</p>	<p>QTY : 6 pcs/ctn                  N.W: 1.6 kg/pcs                  G.W : 10 KG                  Ctn Size:44.5*26*40</p>