



www.per-accurate.com
 Skype:peraccurate
 Tel.:+886 82217268
 Viber or Whats App:+886 988161584
 sales@per-accurate.com

Name	Chip	Beam Angel	Power	Voltage	Lumen	Color	Picture	DescriPTION
PAW-001 10W	1PCS*10W Cree	30°	10W	9-32V/DC	800LM	6000K white		Size: 66mm*66mm*65mm 20PCS/CTN GW: 12KG NW: 11KG Size: 44.5*25.5*19CM Cable wire: 40cm Waterproof: IP67
PAW-002 10W	4PCS*2.5W Cree	30° 60°	10W	9-32V/DC	800LM	6000K white		Size: 66mm*66mm*65mm 20PCS/CTN GW: 12KG NW: 11KG Size: 44.5*25.5*19CM Cable wire: 40cm Waterproof: IP67
PAW-023 48W	16PCS*3W Cree-XBD	60° 30°	48W	9-32V/DC	3800LM	6000K white		Size: 125*155*88 mm 12PCS /CTN G.W: 1.7KG ,NW: 16kg CTN Size: 57.5*31*24.5CM Cable wire: 40cm Waterproof: IP67
PAW-025 45W	15PCS*3W Epistar	60° 30°	45W	9-32V/DC	3150LM	6000K white		12PCS /CTN G.W: 17KG ,NW: 16kg CTN Size: 57.5*31*24.5CM Cable wire: 40cm Waterproof: IP67
PAW-027 51W	17PCS*3W Cree	60° 30°	51W	9-32V/DC	3570LM	6000K white		12PCS /CTN G.W: 17KG ,NW: 16kg CTN Size: 57.5*31*24.5CM Cable wire: 40cm Waterproof: IP67

Name	Chip	Beam Angel	Power	Voltage	Lumen	Color	Picture	DescRiPTION
PAW-027B 51W	17PCS*3W Cree	60° 30°	51W	9-32V/DC	3570LM	6000K white		12PCS /CTN G.W: 17KG ,NW:16kg CTN Size:57.5*31*24.5CM Cable wire:40cm Waterproof: IP67
PAW-029 60W	12PCS*5W CREE	60° 30°	60W	9-32V/DC	4200LM	6000K white		12PCS /CTN G.W: 17KG ,NW:16kg CTN Size:57.5*31*24.5CM Cable wire:40cm Waterproof: IP67
PAW-031 45W	9PCS*5W CREE	60° 30°	45W	9-32V/DC	3150LM	6000K white		12PCS /CTN G.W: 16KG ,NW:15kg CTN Size:57.5*31*24.5CM Cable wire:40cm Waterproof: IP67
PAW-033 16W	4PCS*4W CREE-XPE	90° 8°	16W	9-32V/DC	1200LM	6000K white		Size: 81mm*81mm*74mm 20pcs/ctn GW: 15.5KG NW: 15KG CTN Size: 51*25.5*20cm Waterproof: IP67
PAW-037 96W	32PCS*3W Epistar	30° 60°	96W	9-32V/DC	7060LM	6000K white		245.5mmH x 220.5mmW x 119mmD GW: 15.5KGS .Carton Quantity:4pcs .CartonSize: 51.5X33.5X31.5CM

Name	Chip	Beam Angel	Power	Voltage	Lumen	Color	Picture	DescriptiON
PAW-046 18W	6PCS*3W Epistar	30° 60°	10W	9-32V/DC	1350LM	6000K white		Size: 155mm*135mm*165mm
PAW-008 48W square	16PCS*3W Epistar	60° 30°	48W	9-32V/DC	3600LM	6000K white		Size: 110mm*110mm*72mm 10PCS /CTN GW: 13KG NW: 12KG CTN Size: 47*33*29CM Cable wire: 40cm Waterproof: IP67
PAW-010 18W Flood Round	6PCS*3W Epistar	60°	18W	9-32V/DC	1350LM	6000K white		Size: 128x 110x 43mm 20PCS /Carton GW: 11KG NW: 10KG Carton size: 35*32*26CM Waterproof: IP67
PAW-011 18W Spot Round	6PCS*3W Epistar	30°	18W	9-32V/DC	1350LM	6000K white		Size: 128x 110x 43mm 20PCS /Carton GW: 11KG NW: 10KG Carton size: 35*32*26CM Waterproof: IP67
PAW-012 15W square	5PCS*3W Epistar	60° 30°	15W	9-32V/DC	1150LM	6000K white		Size: 128x 110x 41mm 20PCS /carton GW: 10KG NW: 9.5KG Carton size: 35*32*26CM Cable wire: 40cm Waterproof: IP67
PAW-014 24W Round	8PCS*3W Epistar	60° 30°	24W	9-32V/DC	1600LM	6000K white		Size: 128x 110x 45mm 20PCS /carton GW: 12KG NW: 11KG Carton size: 35*32*26CM Cable wire: 40cm Waterproof: IP67

Name	Chip	Beam Angel	Power	Voltage	Lumen	Color	Picture	DescriPTION
PAW-015 24W square	8PCS*3W Epistar	60° 30°	24W	9-32V/DC	1600LM	6000K white		Size: 128x 110x 45mm 20PCS /carton GW: 12KG NW: 11KG Carton size: 35*32*26CM Waterproof: IP67
PAW-016 27W Round	9PCS*3W Epistar	60° 30°	27W	9-32V/DC	1800LM	6000K white		Size: 128x 110x 58mm 20PCS /carton GW: 13KG NW: 12KG Carton size: 35*32*26CM Cable wire: 40cm Waterproof: IP67
PAW-017 27W square	9PCS*3W Epistar	60° 30°	27W	9-32V/DC	1800LM	6000K white		Size: 128x 110x 58mm 20PCS /carton GW: 13KG NW: 12KG Carton size: 35*32*26CM Cable wire: 40cm Waterproof: IP67
PAW-039 63W	21pcs*3w	30°	63W	9-32V/DC	4200LM	6000K white		Unit G.W: 3 kg/pcs Unit Size: 23.5*22*13CM CTN SIZE: 46*25*37CM QTY/CTN: 6pcs/ctn CTN G.W.: 18kgs
PAW-038 50W	10pcs*5w	30°	50W	9-32V/DC	3300LM	6000K white		Unit G.W: 2.5 kg/pcs Unit Size: 180*180*175cm CTN SIZE: 50*26*47cm QTY/CTN: 4pcs/ctn CTN G.W.: 10kgs
PAW-036 36W	36PCS*1W	60° 30°	36W	9-32V/DC	2380LM	6000K white		Unit G.W: 3 kg/pcs Unit Size: CTN SIZE: QTY/CTN: 6pcs/ctn CTN G.W.: 18kgs
PAW-034 24W	24PCS*1W	30° 60°	24W	9-32V/DC	1600LM	6000K white		Unit G.W: 2.5 kg/pcs Unit Size: CTN SIZE: QTY/CTN: 9pcs/ctn CTN G.W.: 22.5kgs

Name	Chip	Beam Angel	Power	Voltage	Lumen	Color	Picture	DESCRIPTION
PAW-032 21W	7PCS*3W	30° 60°	21W	9-32V/DC	1400LM	6000K white		Unit G.W: 1.8 kg/pcs Unit Size: CTN SIZE: QTY/CTN: 9pcs/ctn CTN G.W.: 16.2kgs
PAW-030 30W	6pcs*5w	30°	30W	9-32V/DC	1960LM	6000K white		Unit G.W: 3.5kg/pcs Unit Size: 200*200*240cm CTN SIZE: 52*30*50cm QTY/CTN: 4pcs/ctn CTN G.W.: 14kgs
PAW-028 30W	6pcs*5w	30°	30W	9-32V/DC	1960LM	6000K white		Unit G.W: 3kg/pcs Unit Size: 180*180*175cm CTN SIZE: 50*26*47cm QTY/CTN: 4pcs/ctn CTN G.W.: 12kgs
PAW-040 50W	10PCS*5W	30°	50W	9-32V/DC	3700LM	6000K white		Unit G.W: 3.5kg/pcs Unit Size: 200*200*240cm CTN SIZE: 52*30*50cm QTY/CTN: 4pcs/ctn CTN G.W.: 21kgs
PAW-026 60W	6PCS*10W Cree	60° 30°	60W	9-32V/DC	3800LM	6000K white		Unit G.W: 2.5 kg/pcs Unit Size: 18.5*9*21.5CM CTN SIZE: 46*25*37CM QTY/CTN: 6pcs/ctn CTN G.W.: 15kgs
PAW-024 40W	4pcs*10w Cree	60° 30°	40W	9-32V/DC	2600LM	6000K white		Unit G.W: 2.5kg/pcs Unit Size: 14*9*17.5CM CTN SIZE: 59*29*32CM QTY/CTN: 8pcs/ctn CTN G.W.: 20kgs
PAW-022 16W	4PCS*4W Cree	8° 40°	16W	9-32V/DC	1100LM	6000K white		MEAS: 52*54.5*25CM QTY/CTN: 24pcs/ctn CTN G.W.: 15kgs
PAW-020 18W	6PCS*3W Cree	40° 8°	18W	9-32V/DC	1200LM	6000K white		MEAS: 52*54.5*25CM QTY/CTN: 24pcs/ctn CTN G.W.: 15kgs



www.per-accurate.com
 Skype:peraccurate
 Tel.:+886 82217268
 Viber or Whats App:+886 988161584
 sales@per-accurate.com

Name	Chip	Beam Angel	Power	Voltage	Lumen	Color	Picture	DescriPTION
PAW-018 18W	6PCS*3W Cree	30°	18W	9-32V/DC	1200LM	6000K white		Ctn Size: 420*350*240 mm QTY/CTN: 18pcs/ctn CTN G.W.: 14kgs
PAW-047 10W	10PCS*1W Cree	30° 60°	10W	9-32V/DC	1600LM	6000K white		size: 100mm*54mm*65mm 20pcs/ctn GW: 15.5KG NW: 15KG Waterproof: IP67
PAW-051 27W	9PCS*3W EPISTAR	30° 60°	27W	9-32V/DC	1800LM	6000K white		Unit Size: 110*110*50mm 20PCS/CTN CTN G.W.: 13kgs
PAW-052 27W	9PCS*3W EPISTAR	60° 30°	27W	9-32V/DC	1800LM	6000K white		Unit Size: 116*116*50mm 20PCS/CTN CTN G.W.: 16kgs
PAW-053 9W	3PCS*3W EPISTAR	30° 60°	9W	9-32V/DC	600LM	6000K white		20PCS/CTN
PAW-054 9W	3PCS*3W EPISTAR	60° 30°	9W	9-32V/DC	600LM	6000K white		Unit Size: 115*63*56mm 20PCS/CTN CTN G.W.: 13kgs



www.per-accurate.com
 Skype:peraccurate
 Tel.:+886 82217268
 Viber or Whats App:+886 988161584
 sales@per-accurate.com

Name	Chip	Beam Angel	Power	Voltage	Lumen	Color	Picture	DescriPTION
PAW-065 45W	15PCS*3W EPISTAR	60° 30°	45W	9-32V/DC	3000LM	6000K white		Unit Size: 127*110*80mm 20PCS/CTN CTN G.W.: 19kgs
PAW-057 45W	15PCS*3W EPISTAR	30° 60°	45W	9-32V/DC	3000LM	6000K white		Unit Size: 178*140*70mm 20PCS/CTN CTN G.W.: 25kgs
PAW-058 24W	6PCS*4W CREE	60° 30°	45W	9-32V/DC	1600LM	6000K white		Unit Size: 130*108*58mm 20PCS/CTN CTN G.W.: 14kgs
PAW-063 40W	4PCS*10W CREE	30° 60°	40W	9-32V/DC	2600LM	6000K white		Unit Size: 125*112*90mm 20PCS/CTN CTN G.W.: 32kgs