
































Police Warning Light Bar							
No.	PA Item	Parts Photo	Specification	Choose Colors	REMARK		
1	PAWD-8700B		Dimension: 1.78"H x 12"W x 20"-71"L (we could made customize Length 20"-71") Bracket Height: 1.96" Voltage: 12V / 24V / 12-24VDC LED: 1.5 Watts LED Total of 22 LED modules each module including 4 x1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox		
						SIZE	U/P
						120CM	USD198/SET
						143.5CM	USD215/SET
2	PAWD-8700D		Dimension: 1.78"H x 12"W x 20"-71"L (we could made customize Length 20"-71") Bracket Height: 1.96" Voltage: 12V / 24V / 12-24VDC LED: 1.5 Watts LED Total of 22 LED modules each module including 4 x1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox		
						SIZE	U/P
						120CM	USD215/SET
						143.5CM	USD247.5/SET
3	PAW-8700C (3W LED Module)		Dimension: 1.78"H x 12"W x 20"-71"L (we could made customize Length 20"-71") Bracket Height: 1.96" Voltage: 12V / 24V LED: 3 Watts LED Total of 22 LED modules each module including 4 x 3W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox		
						SIZE	U/P
						120CM	USD237.6/SET
						143.5CM	USD264/SET
4	PAW-8800		Dimension: 1.78"H x 12"W x 20"-71"L (we could made customize Length 20"-71") Bracket Height: 1.96" Voltage: 12V / 24V / 12-24VDC LED: 3 Watts LED Total of 22 LED modules each module including 4 x 3W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox		
						SIZE	U/P
						120CM	USD189/SET
						143.5CM	USD207/SET
167CM	USD267/SET						
5	PAW-8600		Dimension: 1.78"H x 12"W x 20"-71"L (we could made customize Length 20"-71") Bracket Height: 1.81" Voltage: 12V / 24V / 12-24VDC LED: 1.5 Watts LED Total of 22 LED modules each module including 4 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox		
						SIZE	U/P
						120CM	USD200/SET
						150.5CM	USD230/SET
6	PAW-8900 (3W LED Module)		Dimension: 1.78"H x 12"W x 20"-71"L (we could made customize Length 20"-71") Bracket Height: 1.81" Voltage: 12V / 24V LED: 3 Watts LED Total of 22 LED modules each module including 4 x 3W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox		
						SIZE	U/P
						120CM	USD209/SET
						150.5CM	USD238/SET









Police Warning Light Bar							
No.	PA Item	Parts Photo	Specification	Choose Colors	REMARK		
7	PAW-8500B		Dimension: 1.78"H x 12"W x 20"-68"L (we could made customize Length 20"-71") Bracket Height: 1.81" Voltage: 12V / 24V or 12-24V LED: 1.5 Watts LED Total of 22 LED modules each module including 4 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox		
						SIZE	U/P
						127CM	USD196/SET
						150.5CM	USD235/SET
8	PAW-8600S WITH SPEAKER		Dimension: 1.78"H x 12"W x 47"-71"L Bracket Height: 1.81" Voltage: 12V / 24V or 12-24V LED: 1.5 Watts LED Total of 22 LED modules each module including 4 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Build in 100W Siren and Speaker . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox		
						SIZE	U/P
						120cm	USD255/SET
9	PAW-8500D □		Dimension: 1.78"H x 12"W x 23"-68"L (we could made customize Length 23"-68") Bracket Height: 1.96" Voltage: 12V / 24V or 12-24V LED: 1.5 Watts LED Total of 22 LED modules each module including 4 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox		
						SIZE	U/P
						127CM	USD228/SET
						150.5CM	USD260/SET
10	PAW-6600 □		Dimension: 1.78"H x 12"W x 26"-66"L (we could made customize Length 26"-66") Bracket Height: 1.96" Voltage: 12V / 24V or 12-24V LED: 1.5 Watts LED Total of 22 LED modules each module including 4 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox		
						SIZE	U/P
						120CM	USD252/SET
						146CM	USD290/SET
11	PAW-6300 □		Dimension: 1.78"H x 12"W x 20"-71"L (we could made customize Length 20"-71") Bracket Height: 1.81" Voltage: 12V / 24V or 12-24V LED: 1.5 Watts LED Total of 22 LED modules each module including 6 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox		
						SIZE	U/P
						120CM	USD255/SET
						143.5CM	USD290/SET
12	PAW-6200 □		Dimension: 1.78"H x 12"W x 20"-71"L (we could made customize Length 20"-71") Bracket Height: 1.81" Voltage: 12V / 24V or 12-24V LED: 1.5 Watts LED Total of 22 LED modules each module including 4 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox		
						SIZE	U/P
						120CM	USD238/SET
						143.5CM	USD280/SET




Police Warning Light Bar											
No.	PA Item	Parts Photo	Specification	Choose Colors	REMARK						
13	PAW-6300S WITH SPEAKER □		Dimension: 1.78"H x 12"W x 47"/66" Bracket Height: 1.81" Voltage: 12V / 24V or 12-24V LED: 1.5 Watts LED Total of 22 LED modules each module including 6 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Build in 100W Siren and Speaker . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights, Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox						
			<table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>120CM</td> <td>USD290/SET</td> </tr> </tbody> </table>			SIZE	U/P	120CM	USD290/SET		
			SIZE			U/P					
			120CM			USD290/SET					
14	PAW-6200S □		Dimension: 1.78"H x 12"W x 47"/66" Bracket Height: 1.81" Voltage: 12V / 24V or 12-24V LED: 1.5 Watts LED Total of 22 LED modules each module including 4 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights, Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox						
			<table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>120CM</td> <td>USD270/SET</td> </tr> </tbody> </table>			SIZE	U/P	120CM	USD270/SET		
			SIZE			U/P					
			120CM			USD270/SET					
15	PAW-8300B □		Dimension: 2.75"H x 12"W x 20"-71"L" (we could made customize Length 20"-71") Bracket Height: 1.81" Voltage: 12V / 24V or 12-24V LED: 1.5 Watts LED Total of 22 LED modules each module including 8 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights, Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox						
			<table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>120CM</td> <td>USD290/SET</td> </tr> <tr> <td>143.7CM</td> <td>USD336/SET</td> </tr> </tbody> </table>			SIZE	U/P	120CM	USD290/SET	143.7CM	USD336/SET
			SIZE			U/P					
			120CM			USD290/SET					
			143.7CM			USD336/SET					
16	PAW-8300D □		Dimension: 2.75"H x 12"W x 20"-71"L" (we could made customize Length 20"-71") Bracket Height: 1.81" Voltage: 12V / 24V or 12-24V LED: 1.5 Watts LED Total of 22 LED modules each module including 8 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights, Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox						
			<table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>120CM</td> <td>USD292/SET</td> </tr> <tr> <td>143.7CM</td> <td>USD365/SET</td> </tr> </tbody> </table>			SIZE	U/P	120CM	USD292/SET	143.7CM	USD365/SET
			SIZE			U/P					
			120CM			USD292/SET					
			143.7CM			USD365/SET					
17	PAW-6500C □		Dimension: 1.97"H x 8.7"W x 44"/ 57"L" Bracket Height: 1.81" Voltage: 12V / 24V LED: 3 Watts LED Total of 22 LED modules each module including 3 x 3W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights, Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox						
			<table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>113CM</td> <td>USD198/SET</td> </tr> <tr> <td>138CM</td> <td>USD252/SET</td> </tr> </tbody> </table>			SIZE	U/P	113CM	USD198/SET	138CM	USD252/SET
			SIZE			U/P					
			113CM			USD198/SET					
			138CM			USD252/SET					
18	PAW-6500B □		Dimension: 1.97"H x 8.7"W x 24"-64"L" (we could made customize Length 24"-64") Bracket Height: 1.81" Voltage: 12V / 24V or 12-24VDC LED: 1.5 Watts LED Total of 22 LED modules each module including 4 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights, Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox						
			<table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>113CM</td> <td>USD170/SET</td> </tr> <tr> <td>138CM</td> <td>USD198/SET</td> </tr> </tbody> </table>			SIZE	U/P	113CM	USD170/SET	138CM	USD198/SET
			SIZE			U/P					
			113CM			USD170/SET					
			138CM			USD198/SET					

Police Warning Light Bar																				
No.	PA Item	Parts Photo	Specification	Choose Colors	REMARK															
19	PAW-6500E		Dimension: 1.97"H x 8.7"W x 24"-64"L" (we could made customize Length 24"-64") Bracket Height: 1.81" Voltage: 12V / 24V LED: 1.5 Watts LED Total of 22 LED modules each module including 4 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox															
						<table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>113CM</td> <td>USD175/SET</td> </tr> <tr> <td>138CM</td> <td>USD208/SET</td> </tr> </tbody> </table>	SIZE	U/P	113CM	USD175/SET	138CM	USD208/SET								
		SIZE	U/P																	
		113CM	USD175/SET																	
138CM	USD208/SET																			
20	PAW-6500D		Dimension: 1.97"H x 8.7"W x 24"-64"L" (we could made customize Length 24"-64") Bracket Height: 1.81" Voltage: 12V / 24V or 12-24VDC LED: 1.5 Watts LED Total of 22 LED modules each module including 4 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox															
						<table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>113CM</td> <td>USD188/SET</td> </tr> <tr> <td>138CM</td> <td>USD210/SET</td> </tr> </tbody> </table>	SIZE	U/P	113CM	USD188/SET	138CM	USD210/SET								
		SIZE	U/P																	
113CM	USD188/SET																			
138CM	USD210/SET																			
20	PAW-6700B		Dimension: 1.46"H x 9.3"W x 8"-69"L" (we could made customize Length 8"-69") Bracket Height: 1.81" Voltage: 12V / 24V or 12-24VDC LED: 1.5 Watts LED Total of 18 LED modules each module including 4 x 1.5W LEDs (Two side is 3x1.5W LEDs)	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox															
						<table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>20CM</td> <td>USD60/SET</td> </tr> <tr> <td>32CM</td> <td>USD83/SET</td> </tr> <tr> <td>55.9CM</td> <td>USD110/SET</td> </tr> <tr> <td>79.8CM</td> <td>USD130/SET</td> </tr> <tr> <td>103.7CM</td> <td>USD160/SET</td> </tr> <tr> <td>127.6CM</td> <td>USD185/SET</td> </tr> <tr> <td>151.5CM</td> <td>USD215/SET</td> </tr> <tr> <td>175.4CM</td> <td>USD248/SET</td> </tr> </tbody> </table>	SIZE	U/P	20CM	USD60/SET	32CM	USD83/SET	55.9CM	USD110/SET	79.8CM	USD130/SET	103.7CM	USD160/SET	127.6CM	USD185/SET
		SIZE	U/P																	
		20CM	USD60/SET																	
		32CM	USD83/SET																	
		55.9CM	USD110/SET																	
		79.8CM	USD130/SET																	
		103.7CM	USD160/SET																	
127.6CM	USD185/SET																			
151.5CM	USD215/SET																			
175.4CM	USD248/SET																			
21	PAW-6700BL		Dimension: 1.46"H x 9.3"W x 25"-70"L" (we could made customize Length 25"-70") Bracket Height: 1.81" Voltage: 12V / 24V or 12-24VDC LED: 1.5 Watts LED Total of 18 LED modules each module including 4 x 1.5W LEDs (Two side is 3x1.5W LEDs)	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox															
						<table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>35.1CM</td> <td>USD60/SET</td> </tr> <tr> <td>63.4CM</td> <td>USD95/SET</td> </tr> <tr> <td>91.7CM</td> <td>USD135/SET</td> </tr> <tr> <td>120CM</td> <td>USD163/SET</td> </tr> <tr> <td>148.3CM</td> <td>USD188.5/SET</td> </tr> <tr> <td>176.6CM</td> <td>USD225/SET</td> </tr> <tr> <td>204.9CM</td> <td>USD272/SET</td> </tr> </tbody> </table>	SIZE	U/P	35.1CM	USD60/SET	63.4CM	USD95/SET	91.7CM	USD135/SET	120CM	USD163/SET	148.3CM	USD188.5/SET	176.6CM	USD225/SET
		SIZE	U/P																	
		35.1CM	USD60/SET																	
		63.4CM	USD95/SET																	
		91.7CM	USD135/SET																	
		120CM	USD163/SET																	
148.3CM	USD188.5/SET																			
176.6CM	USD225/SET																			
204.9CM	USD272/SET																			
22	PAW-6700D		Dimension: 1.46"H x 9.3"W x 8"-69"L" (we could made customize Length 8"-69") Bracket Height: 1.81" Voltage: 12V / 24V or 12-24VDC LED: 1.5 Watts LED Total of 18 LED modules each module including 6 x 1.5W LEDs (Two side is 3x1.5W LEDs)	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox															
						<table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>20CM</td> <td>USD78/SET</td> </tr> <tr> <td>32CM</td> <td>USD78/SET</td> </tr> <tr> <td>55.9CM</td> <td>USD120/SET</td> </tr> <tr> <td>79.8CM</td> <td>USD140.5/SET</td> </tr> <tr> <td>103.7CM</td> <td>USD172.4/SET</td> </tr> <tr> <td>127.6CM</td> <td>USD175/SET</td> </tr> <tr> <td>151.5CM</td> <td>USD183/SET</td> </tr> <tr> <td>175.4CM</td> <td>USD190/SET</td> </tr> </tbody> </table>	SIZE	U/P	20CM	USD78/SET	32CM	USD78/SET	55.9CM	USD120/SET	79.8CM	USD140.5/SET	103.7CM	USD172.4/SET	127.6CM	USD175/SET
		SIZE	U/P																	
		20CM	USD78/SET																	
		32CM	USD78/SET																	
		55.9CM	USD120/SET																	
79.8CM	USD140.5/SET																			
103.7CM	USD172.4/SET																			
127.6CM	USD175/SET																			
151.5CM	USD183/SET																			
175.4CM	USD190/SET																			

Police Warning Light Bar																					
No.	PA Item	Parts Photo	Specification	Choose Colors	REMARK																
23	PAW-6700DL	 <table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>35.1CM</td> <td>USD67.5/SET</td> </tr> <tr> <td>63.4CM</td> <td>USD100/SET</td> </tr> <tr> <td>91.7CM</td> <td>USD135/SET</td> </tr> <tr> <td>120CM</td> <td>USD152/SET</td> </tr> <tr> <td>148.3CM</td> <td>USD186./SET</td> </tr> <tr> <td>176.6CM</td> <td>USD230/SET</td> </tr> <tr> <td>204.9CM</td> <td>USD264/SET</td> </tr> </tbody> </table>	SIZE	U/P	35.1CM	USD67.5/SET	63.4CM	USD100/SET	91.7CM	USD135/SET	120CM	USD152/SET	148.3CM	USD186./SET	176.6CM	USD230/SET	204.9CM	USD264/SET	Dimension: 1.46"H x 9.3"W x 25"-70"L" (we could made customize Length 25"-70") Bracket Height: 1.81" Voltage: 12V / 24V or 12-24VDC LED: 1.5 Watts LED Total of 18 LED modules each module including 6 x 1.5W LEDs (Two side is 3x1.5W LEDs)	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox
SIZE	U/P																				
35.1CM	USD67.5/SET																				
63.4CM	USD100/SET																				
91.7CM	USD135/SET																				
120CM	USD152/SET																				
148.3CM	USD186./SET																				
176.6CM	USD230/SET																				
204.9CM	USD264/SET																				
24	PAW-2J405 WITH SPEAKER	 <table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>120CM</td> <td>USD207/SET</td> </tr> </tbody> </table>	SIZE	U/P	120CM	USD207/SET	Dimension: 5.3"H x 12"W x 47"/65" Bracket Height: 1.81" Voltage: 12V / 24V or 12-24VDC LED: 1 Watts LED Total of 10 LED modules each module including 8 x 1W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Build in 100W Siren and Speaker . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox												
SIZE	U/P																				
120CM	USD207/SET																				
25	PAW-8J405 WITH SPEAKER	 <table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>120CM</td> <td>USD235/SET</td> </tr> </tbody> </table>	SIZE	U/P	120CM	USD235/SET	Dimension: 5.9"H x 12"W x 47"/71" L Voltage: 12V / 24V or 12-24VDC LED: 1.5 Watts LED Total of 14 LED modules each module including 8 x 1.5W LEDs (taken down ,traffic and alley is 4x 1.5W LED)	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Build in 100W Siren and Speaker . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox												
SIZE	U/P																				
120CM	USD235/SET																				
25	PAW-3J405 WITH SPEAKER	 <table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>120CM</td> <td>USD225/SET</td> </tr> </tbody> </table>	SIZE	U/P	120CM	USD225/SET	Dimension: 4"H x 12"W x 47"/74" L Voltage: 12V / 24V or 12-24VDC LED: 1.5 Watts LED Total of 12 LED modules each module including 8 x 1.5W LEDs (Alley and taken down 3W lights)	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Build in 100W Siren and Speaker . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox												
SIZE	U/P																				
120CM	USD225/SET																				
26	PAW-8J905	 <table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>120CM</td> <td>USD220/SET</td> </tr> </tbody> </table>	SIZE	U/P	120CM	USD220/SET	Dimension: 4"H x 8.7"W x 35"-71"L" (we could made customize Length 35"-71") Voltage: 12V / 24V or 12-24VDC LED: 1.5 Watts LED Total of 22 LED modules each module including 4 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	E-mark approval and SAE Rated . 12ft cable from light bar to controller box . 26 selectable flash patterns . New 20% brighter LED modules with 4 LEDs . Ultra slim profile with clear lens for a stealth look . Directional traffic advisor on the back . Independently controlled alley lights,Taken down lights and traffic advisor . . Built-in amber arrowstick lights on the back . 2 LED take-down lights and 2 LED Alley Lights . Fully encapsulated, Fully weatherproof . easy installation . Includes universal Gutter Brackets and LED flash pattern indicator of switchbox												
SIZE	U/P																				
120CM	USD220/SET																				
26	LED-685	 <table border="1"> <thead> <tr> <th>SIZE</th> <th>U/P</th> </tr> </thead> <tbody> <tr> <td>120CM</td> <td>USD124/SET</td> </tr> </tbody> </table>	SIZE	U/P	120CM	USD124/SET	Dimension: 1 3/4"H 10"W 27"L (2 3/4" height overall) Voltage: 12V / 24V or 12-24VDC LED: 1.5 Watts LED14 1.5 Watt TIR style LED modules 14 1.5 Watt TIR style LED modules (50 LED diodes)	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	Ultra slimmed aerodynamic designed . Clear lenses for a stealth appearance . 16 selectable flash patterns . Two independently controlled alley lights . Adjustable magnetic brackets . 4 button control box with light indicators . 12 foot power cord (12V DC) Cigarette plug . 18 month warranty on parts . 40LB Strong magnet mount												
SIZE	U/P																				
120CM	USD124/SET																				

Police Warning Light Bar					
No.	PA Item	Parts Photo	Specification	Choose Colors	REMARK
27	PAW-3800 1000 3W LED		Dimension: 28"L x 12"W x 1.78" H Voltage: 12V / 24V LED: 3 Watts LED Total of 14 LED modules each module including 4 x 3W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	Improved high intensity LED modules with New 20% brighter LED modules 15ft cable from light bar to controller box 360-degree lighting system with extremely low amperage draw Ultra slim profile for an aerodynamic look Fully encapsulated, Fully weatherproof Fully modules flashing and 25 alternating flash pattern Or two takedown light and two alley light and six traffic advisor Includes LED flash pattern indicator of switchbox Including stainless steel straps for window ledge mounting 40LB Strong magnet mount
		U/P			
		USD135/SET			
28	PAW-827		Dimension: 32"L x 12"W x 1.78" H Voltage: 12V or 24V or 12-24VDC LED: 1.5 Watts LED Total of 14 LED modules each module including 6 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	Improved high intensity LED modules with New 20% brighter LED modules 15ft cable from light bar to controller box 360-degree lighting system with extremely low amperage draw Ultra slim profile for an aerodynamic look Fully encapsulated, Fully weatherproof Fully modules flashing and 25 alternating flash pattern Or two takedown light and two alley light and six traffic advisor Includes LED flash pattern indicator of switchbox Including stainless steel straps for window ledge mounting 40LB Strong magnet mount
		U/P			
		USD144/SET			
28	PAW-587B		Dimension: 23"L x 12"W x 1.78" H Voltage: 12V or 24V or 12-24VDC LED: 1.5 Watts LED Total of 10 LED modules each module including 6 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	Improved high intensity LED modules with New 20% brighter LED modules 15ft cable from light bar to controller box 360-degree lighting system with extremely low amperage draw Ultra slim profile for an aerodynamic look Fully encapsulated, Fully weatherproof Fully modules flashing and 25 alternating flash pattern Or two takedown light and two alley light and six traffic advisor Includes LED flash pattern indicator of switchbox Including stainless steel straps for window ledge mounting 40LB Strong magnet mount
		U/P			
		USD117/SET			
29	LED-336		Dimension: 13" L x 8.5" W x 2.6" H Voltage: 12V or 24V or 12-24VDC LED: 1.5 Watts LED Total of 6 LED modules each module including 4 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	Amber,Blue and Red color cover and color LEDs Improved high intensity LED modules with 20% brighter Ultra slim profile for an aerodynamic look and Fully weatherproof 15 selectable flash patterns 12"power cable with cigarette lighter pludge and magnet mount 40LB Strong magnet mount
		U/P			
		USD72/SET			
30	LED-338 3W LED		Dimension: 13" L x 8.5" W x 2.6" H Voltage: 12V or 24V LED: 3 Watts LED Total of 14 LED modules each module including 3 x 3W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	Amber,Blue and Red color cover and color LEDs Improved high intensity LED modules with 20% brighter Ultra slim profile for an aerodynamic look and Fully weatherproof 15 selectable flash patterns 12"power cable with cigarette lighter pludge and magnet mount 40LB Strong magnet mount
		U/P			
		USD72/SET			
31	PAW-3600		Dimension: 24" L x 12" W x 2" H Voltage: 12V or 24V or 12-24V LED: TIR LED Total of 16 TIR LED modules each TIR module including 4 LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	Improved high intensity LED modules with 20% brighter Ultra slim profile for an aerodynamic look and Fully weatherproof 15 selectable flash patterns 15"power cable with cigarette lighter pludge Four magnet mounting 40LB Strong magnet mount
		U/P			
		USD132/SET			
32	PAW-337		Dimension: 13" L x 8.5" W x 2.6" H Voltage: 12V or 24V or 12-24VDC LED: 1.5W LED Total of 6 LED modules each module including 3 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	Amber,Blue and Red color cover and color LEDs Improved high intensity LED modules with 20% brighter Ultra slim profile for an aerodynamic look and Fully weatherproof 15 selectable flash patterns 12"power cable with cigarette lighter pludge and magnet mount 40LB Strong magnet mount
		U/P			
		USD91.3/SET			
33	PAW-3200		Dimension: 27" L x 12" W x 1.78" H Voltage: 12V or 24V or 12-24V LED: 14 TIR modules TIR module includes 4 LEDs, Total of 56 LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	Improved high intensity LED modules with 20% brighter Ultra slim profile for an aerodynamic look 15 selectable flash patterns 15"power cable with cigarette lighter plug Four magnet mounting and waterproof 40LB Strong magnet mount
		U/P			
		USD137.8/SET			

Police Warning Light Bar					
No.	PA Item	Parts Photo	Specification	Choose Colors	REMARK
34	PAW-3300		Dimension: 27" L x 12" W x 1.78" H Voltage: 12V or 24V or 12-24V LED: 14 TIR modules TIR module includes 4 LEDs, Total of 56 LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	Improved high intensity LED modules with 20% brighter Ultra slim profile for an aerodynamic look 15 selectable flash patterns 15"power cable with cigarette lighter plug Four magnet mounting and waterproof 40LB Strong magnet mount
			U/P USD144.5/SET		
35	PAW-3200S		Dimension: 27" L x 12" W x 1.78" H Voltage: 12V or 24V or 12-24V CURRENT: 6Amps/12V LED: 14 TIR/Linear modules each linear/tir module includes 6 LEDs, Total of 84 LEDs,	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	Improved high intensity LED modules with 20% brighter Ultra slim profile for an aerodynamic look 15 selectable flash patterns 15"power cable with cigarette lighter plug Four magnet mounting and waterproof With 100W Speaker in center and 100W Siren amplifier 40LB Strong magnet mount
			U/P USD182/SET		
36	PAW-3300S		Dimension: 27" L x 12" W x 1.78" H Voltage: 12V or 24V or 12-24V CURRENT: 6Amps/12V LED: 14 TIR/Linear modules each linear/tir module includes 6 LEDs, Total of 84 LEDs,	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	Improved high intensity LED modules with 20% brighter Ultra slim profile for an aerodynamic look 15 selectable flash patterns 15"power cable with cigarette lighter plug Four magnet mounting and waterproof With 100W Speaker in center and 100W Siren amplifier 40LB Strong magnet mount
			U/P USD189/SET		
37	LED-368 3W LED		Dimension: 14" L x 8.7" W x 2.4" H Voltage: 12V or 24V LED: 3 W LED Total of 102 LED modules each module including 3 x 3W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	Improved high intensity LED modules with 20% brighter Ultra slim profile for an aerodynamic look 15 selectable flash patterns 12"power cable with cigarette lighter plug and magnet mount 40LB Strong magnet mount
			U/P USD76.5/SET		
38	PAW-366		Dimension: 14" L x 8.7" W x 2.4" H Voltage: 12V or 24V or 12-24VDC LED: 1.5W LED Total of 6 LED modules each module including 6 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	Amber,Blue and Red color cover and color LEDs Improved high intensity LED modules with 20% brighter Ultra slim profile for an aerodynamic look and Fully weatherproof 15 selectable flash patterns 12"power cable with cigarette lighter plug and magnet mount 40LB Strong magnet mount
			U/P USD73.5/SET		
39	LED-286		Dimension: 14" L x 8.7" W x 2.4" H Voltage: 12V or 24V or 12-24VDC LED: 1.5 W LED Total of 6 LED modules each module including 6 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	Improved high intensity LED modules with 20% brighter Ultra slim profile for an aerodynamic look 15 selectable flash patterns 12"power cable with cigarette lighter plug and magnet mount 40LB Strong magnet mount
			U/P USD60/SET		
40	LED-606		Dimension: 23"L x 12" W x 6" H Voltage: 12V or 24V or 12-24VDC LED: 1 W LED Four oblong module(each module in 8 x 1W LED) Two square module(each module in 4 x 1W LED)	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	16 Flash patterns with cigarette plug Amber,Blue and Red color cover and color LEDs 15 selectable flash patterns 12"power cable with cigarette lighter plug and magnet mount 40LB Strong magnet mount
			U/P USD98/SET		
41	LED-6700B-4		Dimension: 8"L x 9.3" W x 1.46" H Voltage: 12V or 24V or 12-24V Draw Current: 3.5Amp. LED: Total of 4 LED module, 2 module includes 4 x 3W/1.5W LEDs, 2 includings 3x 3W/1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE	25 Flash patterns with cigarette plug Amber,Blue and Red color cover and color LEDs available with cigarette plug and magnet mount 40LB Strong magnet mount
			U/P USD70/SET		

Police Warning Light Bar				
No.	PA Item	Parts Photo	Specification	REMARK
42	LED-6700B-8		Dimension: 13"L x 9.3" W x 1.46" H Voltage: 12V or 24V or 12-24V Draw Current: 3.5Amp. LED: Total of 6 LED module, 4 module includes 4 x 3W/1.5W LEDs, 2 includings 3x 3W/1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE . 25 Flash patterns with cigarette plug . Amber,Blue and Red color cover and color LEDs . available with cigarette plug and magnet mount . 40LB Strong magnet mount
		U/P		
		USD98/SET		
43	LED-535B		Dimension: 21"L x 12" W x 2.2" H Voltage: 12V or 24V or 12-24V Draw Current: 3.5Amp. LED: Total of 10 LED module, each module includes 4 x 3W/1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE . 25 Flash patterns with cigarette plug . Amber,Blue and Red color cover and color LEDs . available with cigarette plug and magnet mount . 40LB Strong magnet mount
		U/P		
		USD112/SET		
44	LED-306B		Dimension: 12"L x 12" W x 2.2" H Voltage: 12V or 24V or 12-24V Draw Current: 3.5Amp. LED: Total of 6 LED module, each module includes 6 x 1.5W LEDs	Colored LED Modules with Clear Lenses (DOME)for RED WHITE AMBER GREEN BLUE . 16 Flash patterns with cigarette plug . Amber,Blue and Red color cover and color LEDs . available with cigarette plug and magnet mount . 40LB Strong magnet mount
		U/P		
		USD98/SET		